Bona Spray Mop – Pads

The **Bona Spray Mop** system enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket, just spray and clean!

Bona has designed the Bona Spray mop so that you can use the mop for all parts of the cleaning process – simply change the pad!

Bona Dusting, Cleaning and Deep Clean pads are made from 90% recycled content.

Dusting pad

The Bona electro-static microfiber Dusting pad attaches easily to the Bona mop head for dry cleaning of the floor. Regular removal of surface dirt and sand will prevent the floor surface from being scratched.

Cleaning pad

The Bona Cleaning pad is a tough re-usable and machine washable microfiber cleaning pad.

Deep Clean pad

The Bona Deep Clean pad has Powerloop technology with dual zone microfiber sections to trap dirt and grime. Used with Bona Deep Cleaner it cleans the dirtiest of floors.

Applicator pad

When applying Bona Refresher or Polish to restore the appearance of your floor it is important to be able to apply an even smooth coat. The Bona Applicator pad features microfiber threads designed to ensure easy, fast and smooth application. Rinse thoroughly immediately after use and before washing.

Bona cleaning pads are machine washable and can be washed over 500 times without losing their effectiveness. Wash at a maximum 60º C without fabric conditioner.

For additional information regarding floor care please visit www.bona.com.au

Bona Spray Mop

The **Bona Spray Mop** system enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket and adding concentrate, just spray and clean!

- Specially developed for finished wooden floors
- Ergonomic design with comfort grips for easier cleaning
- Refillable cartridge
- Easy, streak free cleaning
- Rotating head for ultimate reach in difficult areas
- Washable microfibre cleaning pad

Contents

Each Spray Mop kit comes with the following contents:

- Spray Mop
- Wood Floor Cleaner Cartridge (850 ml)
- Microfibre Cleaning Pad

Additional Cleaning pads can be obtained for use with the Bona Spray Mop. Bona Dusting pads, for removal of dust, and Bona Applicator Pads, for use when applying Bona Refresher, are also available.

In addition to this, the Bona Spray Mop can be used with Bona Deep Cleaner and the Bona Deep Clean Pad when a floor needs to have the benefit of Bona's most powerful cleaner with the oxygenated cleaner cutting through any dirt build up.

Preparation

Clean the floor using a dry cleaning method. Suitable methods include the Bona Spray mop system with the Bona dusting pad, soft broom or vacuum with a soft brush attachment. Regular removal of surface dirt and sand will prevent the surface from being scratched.

Directions for use

Insert the Wood Floor Cleaner cartridge into the Spray Mop. Press it firmly into its socket. Attach the cleaning pad on the mop head. Mist the cleaner onto the floor and wipe clean. Take care not to be too generous and ensure that all sprayed Cleaner is wiped from the floor.

Replace or rinse the Bona Cleaning Pad after approx. 10 – 15 m² to ensure that the dirt and cleaner residues can be taken from the floor whilst cleaning.

On stubborn spots, rubber heel marks or sticky spills etc. spray cleaner directly onto the spot and let it work a few minutes before scrubbing and wiping off.

Care

Soiled cleaning pads can be washed by hand or machine washed at 60° without fabric conditioner / softener. All Bona microfiber pads can be machine washed at least 500 times.

Never leave your mop standing with a wet pad face down on the floor surface when done cleaning – this may cause permanent damage to the floor surface.

BONA WOOD FLOOR REFRESHER

Bona Wood Floor Refresher is a ready to use water-based maintenance coating specifically designed for polyurethane coated timber floors in domestic situations. It revives a dull surface giving a newly finished look and continuing protection against wear.

- Specifically designed for finished timber floors
- Based on polyurethane – superb protective qualities
- Contains no waxes
- Meets EN 14904:2006 for slip resistance

Technical data

Binding agent:	Polyurethane
Dilution:	Do not dilute
Drying time:	Approx. 2 hours*
	** under normal climate conditions, 20 °C / 60% R.H. with reasonable ventilation*
Application tool:	Bona Microfibre Applicator pad
Coverage:	Ca. 30 – 50m^2 / Lt per coat
Safety:	Unclassified
Shelf life:	At least 2 years, from the date of production, in unopened original container
Storage / transport:	The temperature must not fall below +5°C or exceed +25°C during storage and transport.
Disposal:	Wastes and emptied containers should be handled in accordance with local regulations.
Pack size:	1 Lt
Certification	GREENGUARD

Preparation

Do not use on oiled floors or floors treated with polish or wax. If in doubt coat a small trial area. Do not use Refresher on matt floor surfaces.

Remove loose dust/grit etc. using a vacuum cleaner, scissor mop or other dry cleaning method. Clean the floor thoroughly using Bona Wood Floor Cleaner and allow to dry. Dirt, etc. dirt left on the surface of the floor will become 'encased' below the Refresher application.

Application

1. Gently agitate the contents by turning the container several times before opening. Apply Refresher with the Bona Microfibre applicator pad. Prepare the applicator pad by lightly dampening with water.

2. Apply a wavy line of Refresher on the floor; approx. 3 – 5 cm wide. Use a Bona Applicator Pad to spread a thin consistent coat evenly across a small section, approx. 3 m^2. Control environmental conditions to reduce airborne dust and airflow.

   Even out the coat with the grain of the wood. Continue until the entire floor has been coated taking care to keep a wet edge at all times. Take particular care to observe the coverage rate.

1.

2.

3. 

3. Allow Refresher at least 2 hours to dry before walking on the floor. If the appearance is uneven in sheen or minor streaking is evident a second coat may be applied after this time. Avoid heavy traffic and replacing furniture for 24 hours.

Additional advice

Be aware of the conditions in the rooms being coated. A hot floor, direct sunlight, wind under a door, etc. will cause Bona Refresher to dry too quickly and application marks will be seen.

Coat the entire floor. Do not use a cloth and just wiped over areas as if you 'spot' apply the differences in sheen will usually be easily seen. Similarly, uneven application can be noted with differences in sheen evident.

Maintenance

Wet cleaning of the floor can be resumed after one week. Clean the floor with Bona Wood Floor Cleaner and a microfibre pad.

Apply additional coats of Refresher as required to keep the floor in a good condition. Floors with greater amounts of wear or deep scratches should be overcoated using a Bona Traffic HD or Traffic variant.

Bona refresher contains no wax or other materials that may affect the adhesion of polyurethane finishes. Information regarding overcoating can be found on the finish product datasheet and the **Overcoating Instructions** datasheet.

Please note that whilst Bona maintenance finishes are designed to provide a sealed surface that is resistant to wear, scuffing and spillage, etc. no surface applied finish system can prevent physical damage to the timber or 'harden' the floor. Indentations in the wood and scratches may be caused by furniture, dropped items, dog claws, etc. and steps should be taken to reduce the possibility of this occurring.

Important issues

The information provided is prepared to the best of our current knowledge and makes no claim to be complete. The User is responsible for establishing that the product and recommendations herein are fit for the designated purpose, wood type and present situation before use. Bona can only guarantee the delivered product. A professional and thereby successful application of the product is beyond our control. If in doubt make a preliminary test. The User is required to read and understand all information contained on package labels and safety data sheets before using this product.